



JUREN PRODUCT MANUALS


www.jurendianli.com

JR-19-10-A/0

RWL

RWL

30 RWL-10 20
 DL-10 DL-20 DL-30
 RWL




: RWL- 21/2- 99. 9A


RWL- 11	2 99. 9A	1	1	DL- 11 DL- 12 DL- 13	5A	15A
RWL- 12		2	0	DL- 11		
RWL- 13		0	2	DL- 12		
RWL- 21		1	1	DL- 21 DL- 22 DL- 23		
RWL- 22		2	0	DL- 24		
RWL- 23		0	2	DL- 25		
RWL- 31		1	1	DL- 31 DL- 32		
RWL- 32		2	0	DL- 33		
RWL- 33		0	2	DL- 34		

- 1.5VA(5A)
-
- a 2 99.9A 3%
- $= (5 -) / \times 100\%$
- b 5 4%
- c - 10 50 5%
- 5A 50Hz(15A)
- : 1.1 40ms 2 35ms
- 0.85 0.95
- 27ms
- 250V 1A 5ms ± 0.75ms
- 50W 250V 5A cos = 0.4 ± 0.1
- 500VA 5A 5×10^{-4}
- 2KV 1 50HZ


()




RWL-11/31




RWL-12/32




RWL-13/33



RWL-21



RWL-23



RWL-22

RWL- 10

1

RWL- 20


2

RWL- 30

3

mm

1			
1			



ABOUT US
JUREN POWER

1999

